## **CISC 322**Software Architecture

#### Lecture 13:

## Reflexion Models and Source Sticky Notes

#### **Emad Shihab**

Paper by: Ahmed E. Hassan and Richard C. Holt

Slides adapted from Ahmed E. Hassan

#### Midterm

### Group presentations

- Tuesday
  - Team Phoenix
  - Fully Optimized experience
  - Fox Bytes
  - The Firey Foxes
- Wednesday
  - Volpe Inferno
  - The Flaming Pandas
- Friday
  - The Fighting Mongooses


#### Introduction

- Software understanding tasks represent 50-90% of maintenance efforts
- Good documentation can help, but rarely available
- Some developers resort to code browsing, but that is limited and does not scale
- Propose to speedup understanding using knowledge from historical modification records

### Source Sticky Notes

- Attach change details to dependencies between software entities
- Determine the affect of a change on a software's dependency graph and attach change details to edges of the dependency
- Provide insight to developers about reasons for that dependencies

## Architecture Understanding Process



- Propose conceptual architecture
- Compare conceptual with concrete architecture
- Investigate gaps

# Propose - Conceptual Architecture

- Developers propose a conceptual architecture based on:
  - Reference architecture
  - System documentation
  - Developer experience with similar systems
  - Talking to senior developers and domain experts

# Conceptual and Concrete Mismatch


However, in reality the concrete architecture is (almost) always different

Need to not only discover differences, but also uncover the rationale


## Uncovering the Rationale for the Differences

- Uncovering the rationale is challenging
  - A senior developer
    - may be too busy
    - may not recall the rationale for such dependency
    - may no longer work on the software system
  - The software
    - may have been bought from another company
    - may have its maintenance out-sourced
- Developers must spend hours/days to uncover the rationale. The rationale may be:
  - Justified due to, e.g., optimizations or code reuse; or
  - Not justified due to, e.g., developer ignorance or pressure to market.

#### Software Reflexion Framework



### **Investigating Gaps**



- Absences: rarely occur in large systems
- Convergences: usually not a concern
- Divergences: must investigate dependencies

# 4Ws when Investigating Dependencies

#### Which?

Which concrete source code entities are responsible for an unexpected dependency?

#### Who?

- Who introduced an unexpected dependency or removed a missing dependency?
- A gap due to a change made by
  - a novice developer may suggest that the developer is at fault and the change must be fixed
  - a senior developer with a well established record for producing high quality code may suggest that the change is correct

#### When?

- When was the unexpected dependency added or the missing dependency removed?
- A fix to a critical bug under a tight release schedule?
  - E.g. a few days/hours before a release
- Or is it is a justified dependency that we should expect


### Why?

- Why was this unexpected dependency added or why was an expected dependency missing?
- A knowledge of the rationale is key in explaining the gaps

## Dependency Investigation Questions (W4 Approach)

- Which low level code entity is responsible for the dependency?
  - Network (SendData) → Scheduler (PrintToLog)
- Who added/removed the dependency?
  - Junior vs. senior/experienced developer
- When was the dependency modified?
  - Late night / Just before release
- Why was the dependency added/removed?
  - The rationale!

## Source StickyNotes



- We are interested in
  - Current and past dependencies

### Source StickyNotes

- Static dependencies give only a current static view of the system – not enough detail!
- Need to extend static dependencies, but how?

### **Extending Code Dependencies**

- Ask developers to fill StickyNotes for each change
  - Too time consuming and cumbersome
- Use software repositories to build these notes automatically
  - Historical information may be hard to process


### StickyNotes Recovery

- Map code changes to entities and dependencies instead of lines
- Two pass analysis of the source control repository data, to recover:
  - Record all entities defined throughout the lifetime of a project
  - Record all dependencies between these entities and attach source control meta-data

### Case Study – NetBSD

- Large long lived system with hundreds of developers
- Case study used to demonstrate usefulness of the reflexion model:
  - Reuse prior results! ☺
  - Focus on investigating gaps to show the strength of our approach

## NetBSD (VMC) Conceptual and Reflexion Model



### Unexpected Dependencies

- Eight unexpected dependencies
- All except two dependencies existed since day one:
  - Virtual Address Maintenance → Pager

Which?	<pre>vm_map_entry_create (in src/sys/vm/Attic/vm_map.c) depends on pager_map (in /src/sys/uvm/uvm_pager.c)</pre>
Who?	cgd
When?	1993/04/09 15:54:59 Revision 1.2 of src/sys/vm/Attic/vm_map.c
Why?	from sean eric fagan: it seems to keep the vm system from deadlocking the  Sy pi au under special circumstances in have to wait for a free page).

### **Unexpected Dependencies**

#### ■ Pager → Hardware Translations

Which?	uvm_pagermapin (in src/sys/uvm/uvm_pager.c) depends on pmap_kenter_pgs (in src/sys/arch/arm26/arm26/Attic/pmap.c)
Who?	thorpej
When?	1999/05/24 23:30:44; Revision 1.17 of src/sys/uvm/uvm_pager.c
Why?	Don't use pmap_kenter_pgs() for entering pager_map mappings. The pages are still owned by the object which is paging, and so the test for a kernel object in used ins  Dependency added to fix a bug on multiple process systems  The pmap_kremove() inconsistency (which caused the busted kernel pmap statistics, and a cause of much locking hair on MP systems).

## Unexpected Dependencies which existed in the past

- Two unexpected dependencies that were removed in the past:
  - Hardware Translation → VM Policy
  - File System → Virtual Address Maintenance

Which?	mfs_strategy (in.src/sys/ufs/mfs/mfs_vnops.c)  depends on vm_map (in src/sys/vm/Attic/vm_map.h)
Who?	thorpej
When?	2000/05/19 20:42:21; Revision 1.23 of src/sys/ufs/mfs_vnops.c
Why?	Dependency removed to fix a previous incorrect change

#### StickyNotes Usage Patterns

- First note to understand the reason for unexpected dependencies
- Last note to study missing dependencies
- All notes when first and last notes do not have enough information to assist in understanding

#### Limitations

- Quality of comments and text entered by developers in the past
- In many open source projects, CVS comments are used for:
  - Communicating new features
  - Narrating the progress of a project

### Summary

- Development history can help understand the current structure of a software system
- Traditional dependency graphs and program understanding models usually do not use historical information
- Proposed StickyNotes and presented a case study to show the strength of the approach