

SOEN 387 Web-based Enterprise Application Design

Stuart Thiel

Concordia University
Department of Computer & Software Engineering

Fall, 2015

Outline

Review of HTTP

Servlets

Contexts

Stuart Thiel

Review of HTTP

Servlets

Contexts

Web Requests

- ▶ header information
 - ▶ method
 - ▶ cookies
 - ▶ location
 - ▶ language
 - ▶ ...
- ▶ body
 - ▶ extended parameters/data
 - ▶ only used with certain request methods
 - ▶ used for the actual web-page response

Request Methods

- ▶ **GET**
 - ▶ Request info
- ▶ **POST**
 - ▶ Ask server to **post** the submitted data...
- ▶ **HEAD**
 - ▶ Like GET, but just asking for the headers, not the body
 - ▶ e.g. get last time changed for large file was changed
- ▶ **TRACE**
 - ▶ Ask server to repeat what you just asked (debugging)
- ▶ **PUT**
 - ▶ Put the submitted data at the given URL
- ▶ **DELETE**
 - ▶ Delete whatever is at the requested URL
- ▶ **OPTIONS**
 - ▶ Specify HTTP Methods that this URL responds to
- ▶ **CONNECT**
 - ▶ Stay connected for commet/tunneling/weird stuff

Web Servers

- ▶ Web Servers or HTTP Servers serve static content
- ▶ Dynamic content too
- ▶ A Web Server can serve another server's content
- ▶ We want to serve up Servlets

Servlets

- ▶ The business-end of this course
- ▶ A type of web application
 - ▶ Other types?

What Are Servlets

- ▶ Java classes
- ▶ The entry-point follows a specific interface
- ▶ Some configuration to smooth stuff out

Where Do Servlets Live?

- ▶ Inside a Servlet Container
- ▶ Containers take care of housekeeping
- ▶ Life-cycle management
 - ▶ Initialization
 - ▶ Request Setup
 - ▶ Session Management
 - ▶ Decommissioning


Servlets in Context

Stuart Thiel

Review of HTTP

Servlets

Contexts



2

- ▶ Tomcat will be our Servlet Container
- ▶ Reference implementation

² "Head First Servlets & JSP", p.39

Servlets and Java Server Pages

- ▶ Using servlets and POJOs, we will make web apps
- ▶ We will also use Java Server Pages (JSPs)
 - ▶ Like PHP, but for Java
 - ▶ Actually compiled to Java servlets at runtime

First Tutorial

- ▶ Hello World
- ▶ Eclipse 4.x + WTP and Tomcat 7 or 8
- ▶ Learn to set up eclipse
- ▶ Learn to set up tomcat
- ▶ Learn to deploy
- ▶ Learn to forward to a JSP

Contexts

- ▶ When you talk to someone, there are contexts
- ▶ When someone asks you a simple question?
 - ▶ What do you need to know only for question and response?
 - ▶ What do you keep track of for whole conversation?
 - ▶ What do you keep track of between conversations?
 - ▶ What do you know irrespective of the conversation?

Contexts in Servlets

- ▶ Application
- ▶ Session
- ▶ Request

Context Boundaries

- ▶ Application: Start and Stop
- ▶ Session: ?
- ▶ Request: Send Request, Get Response

Session Boundaries

- ▶ Starts when you access the Servlet
- ▶ When does it stop?

Security and Sessions

- ▶ Can you abuse a session to hack someone?
- ▶ Protecting Login
- ▶ Protecting Logout

Sanitize EVERYTHING

- ▶ Sanitize Sessions on Login
- ▶ Keep some pre-auth data explicitly

A Quick Note on Concurrency

- ▶ Does the request context ever share? No.
- ▶ How about the Application? Of course.
- ▶ And the Session?

What Does A Servlet Look Like File-wise?

- ▶ `https://tomcat.apache.org/tomcat-8.0-doc/appdev/deployment.html`
- ▶ `*.html`, `*.jsp`, etc.
- ▶ `/WEB-INF/web.xml`
- ▶ `/WEB-INF/classes/`
- ▶ `/WEB-INF/lib/`

Some Suggestions for file-size?

- ▶ <https://tomcat.apache.org/tomcat-8.0-doc/appdev/source.html>
- ▶ web/ webapp document root
 - ▶ under which you find WEB-INF, etc
- ▶ src/ keeps the source for your webapp nearby
- ▶ docs/ keep any documentation nearby
- ▶ Put src/DOCs in SVN (repo)!
- ▶ Put document root, save classes in SVN!

How to access JSPs

- ▶ I put JSPs where they cannot be directly accessed
 - ▶ inside WEB-INF/JSP
 - ▶ We'll talk about why this can be useful

Finish with a Look at Servlet API

- ▶ <https://tomcat.apache.org/tomcat-8.0-doc/servletapi/>
- ▶ look at HttpServlet